



**TOWN OF EASTON  
APPLICATION FOR SEWER PERMIT**

PERMIT NO.: \_\_\_\_\_

\_\_\_\_\_ LOCATION/PROPERTY ADDRESS \_\_\_\_\_

\_\_\_\_\_ OWNER \_\_\_\_\_

\_\_\_\_\_ DRAIN LAYER (Company Name) \_\_\_\_\_

\_\_\_\_\_ LICENSE NUMBER \_\_\_\_\_ PHONE \_\_\_\_\_

\_\_\_\_\_ DRAIN LAYER SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

PERMIT TYPE: (Check One)

- Sewer Connection (New Construction)
- Sewer Connection (Existing Construction)
- Sewer Service Repair
- Sewer Main Extension
- Sewer Disconnection

SEWER TYPE:

- Gravity
- Low Pressure (Forced)

BUILDING TYPE:

- Residential (1-4 units)
- Commercial\*

ESTIMATED FLOW (GPD):

Residential Flow: \_\_\_\_\_

Commercial Flow: \_\_\_\_\_

Total Flow: \_\_\_\_\_

\*includes all other uses

PIPE DESCRIPTION:

Length of Main/Service (ft) \_\_\_\_\_

Pipe Size (in) \_\_\_\_\_ Material \_\_\_\_\_

(6" PVC SDR 35 unless otherwise approved)

**THE DRAIN LAYER HAS READ, UNDERSTANDS, AND AGREES TO THE FOLLOWING TERMS OF THIS PERMIT:**

1. All work performed under this permit is to be done in accordance with the latest versions of the Town of Easton Sewer Use Regulations and shall conform to all applicable building and plumbing codes, and the Department of Public Works Street Opening Rules and Regulations if working in R.O.W.
2. Prior to excavation, the Drain Layer must call the Easton Water Division at (508) 230-0850 to mark the water lines at the site. The Drain Layer must also call **DIG SAFE** for marking of other utilities. **DIG SAFE DOES NOT CALL THE EASTON WATER DIVISION.**
3. The Drain Layer must at the time of inspection furnish a completed AS-BUILT, using the form provided, which shows the sewer work performed and a minimum of (3) swing ties to all applicable features: public sewer mainline connection, bends, cleanouts, shut off valve, pump chamber, and fernco connections.
4. The cost of said sewer connection, repair or extension and its connection to the Town sewer including: labor, materials, and any expense incurred necessary for the proper construction of said sewer is the responsibility of the owner.
5. All new sewer connections, repairs, or extensions, as well as any testing required, must be inspected by a representative of the Easton Department of Public Works prior to backfilling of any portion of the trench. Inspections must be arranged a minimum of (24) hours in advance by calling (508) 230-0800. Inspections will only be performed during published Department of Public Works business hours.
6. The pipe must be bedded and covered to a minimum of 6" with 3/4" processed crushed stone for the full width of the trench.
7. This permit is valid for (180) days from the date of approval.
8. The Drain Layer shall provide the following items as required below (check appropriate box(es)):
  - Sketch of proposed sewer connection (for connection to existing buildings) showing all bends and cleanouts
  - Design drawings and calculations performed by a Massachusetts Professional Engineer (required for connection to new buildings, sewer main extensions, and low pressure sewers)
9. Special Conditions: \_\_\_\_\_ or;
  - See Attachment A

**OFFICE USE ONLY**

	YES	N/A	Date	FEES (See Appendix B):	
Inspection Complete	_____	_____	_____	Residential Gravity Connection:	\$ _____
AS-BUILT Submitted	_____	_____	_____	Residential Low Pressure Connection:	\$ _____
Testing Complete	_____	_____	_____	Commercial Gravity Connection:	\$ _____
Testing Reports Submitted	_____	_____	_____	Commercial - Pumped:	\$ _____
				Other:	\$ _____

NOTES:

Total: \$ \_\_\_\_\_

**DEPARTMENT OF PUBLIC WORKS APPROVAL FOR PERMIT:**

Signature \_\_\_\_\_ Date \_\_\_\_\_

**INSPECTOR APPROVAL:**

Signature \_\_\_\_\_ Date \_\_\_\_\_

**TOWN OF EASTON  
SEWER SKETCH FORM**

**ADDRESS:** \_\_\_\_\_

**DATE:** \_\_\_\_\_

A large rectangular area filled with a fine grid of small squares, intended for drawing a sewer sketch. The grid covers most of the page below the header and above the footer.

**NOTE:** The as-built shall show the sewer work performed and a minimum of three (3) swing ties to all applicable features: public sewer mainline connection, bends, cleanouts, shut off valve, pump chamber and fernco connections.

**TOWN OF EASTON  
SEWER AS-BUILT FORM**

**ADDRESS:** \_\_\_\_\_

**DATE:** \_\_\_\_\_

A large rectangular area filled with a fine grid of lines, intended for the user to draw the sewer as-built plan. The grid is approximately 30 units wide by 40 units high.

**NOTE:** The as-built shall show the sewer work performed and a minimum of three (3) swing ties to all applicable features: public sewer mainline connection, bends, cleanouts, shut off valve, pump chamber and fernco connections.